




May 2009


Vol. 14 No. 5

The most common virus isolated in April 2009 was parainfluenza virus type 3; However parainfluenza virus type 1, rhinovirus, adenovirus were also common; in addition we isolated small numbers of RSV and influenza A and B virus. Stay tuned to the RSV-FLU-O-METER [http://www.bcm.edu/web/pediatrics/documents/RSV-FLU-O-METER_08-09\(combined\).pdf](http://www.bcm.edu/web/pediatrics/documents/RSV-FLU-O-METER_08-09(combined).pdf) and "What's Going Round NOW!" http://www.bcm.edu/pediatrics/index.cfm?Realm=99991127&This_Template=rapid-2008 for TCH updates as the winter virus season unfolds.



Gail J. Demmler-Harrison, M.D., Director

Texas Children's Hospital
Diagnostic Virology Laboratory
6621 Fannin St, MC A370.17
Houston, TX 77030
832 824 2280 Telephone
832 825 2283 Fax
gidemmler@texaschildrenshospital.org



Viral Cultures – April 2009

Total all	1115	Total Resp.	946
Positive	159	Positive	143
% Positive	14	% Positive	15

EIA Rapid Test Results – April 2009

	RSV	FLU A	FLU B	ADENO
Tested	451	777	777	316
Positive	2	12	3	7
% Positive	0	2	0	2