




June 2007


Vol. 12 No. 6

Adenoviruses were once again the most common viruses isolated! Rhinoviruses and parainfluenza virus type 3 were a distant second. Also note we experienced a small "flurry of FLU A" during May.

Watch the RSV-FLU-O-METER for weekly updates  
[http://www.bcm.edu/pedi/infect/dvl/newsletter/RSV-FLU-O-METER\(combined\).pdf](http://www.bcm.edu/pedi/infect/dvl/newsletter/RSV-FLU-O-METER(combined).pdf) and Check out "What's going 'round now!" updates  
<http://www.bcm.edu/pedi/infect/dvl/>



**Gail J. Demmler, M.D., Director**  
Diagnostic Virology Laboratory  
Texas Children's Hospital  
6621 Fannin Street, MC A370.17  
3rd Floor, Room AB 0370.01  
Houston, TX 77030-2399, USA  
832 824 2280 Telephone  
832 825 2283 Fax  
[gjdemmler@texaschildrenshospital.org](mailto:gjdemmler@texaschildrenshospital.org)



### Viral Cultures – May 2007

Total all	607	Total Resp.	348
Positive	93	Positive	77
% Positive	15	% Positive	22

### EIA Rapid Test Results – May 2007

	RSV	FLU A	FLU B	ADENO
Tested	167	187	187	159
Positive	1	5	0	16
% Positive	1	3	0	10