


Parainfluenza virus type 3 was the most common virus isolated in June. However, a small number of influenza A and B viruses were detected, as well as RSV, rhinoviruses, adenovirus and other types of parainfluenza virus. Enteroviruses also were detected by both culture and PCR, including some from CSF samples, indicating aseptic meningitis caused by enteroviruses may be in the community. Watch the RSV-FLU-O-METER [http://www.bcm.edu/pedi/infect/dvl/newsletter/RSV-FLU-O-METER\(combined\).pdf](http://www.bcm.edu/pedi/infect/dvl/newsletter/RSV-FLU-O-METER(combined).pdf) and "What's going 'round now!" <http://www.bcm.edu/pedi/infect/dvl/updates.htm>.

Gail J. Demmler, M.D., Director
Diagnostic Virology Laboratory
Texas Children's Hospital
6621 Fannin Street, MC 370.17
3rd Floor, Room A0370.01
Houston, TX 77030-2399, USA
832-824-2280 Telephone
832-825-2283 Fax
gjdemmler@texaschildrenshospital.org



EIA Rapid Test Results – June 2006

	RSV	FLU A	FLU B	ADENO
Tested	157	156	156	7
Positive	5	4	1	0
% Positive	3	3	1	0

Viral Cultures – June 2006

Total all	501	Total Resp.	290
Positive	68	Positive	60
% Positive	14	% Positive	21

